

WARROR™ ANTIVIRAL/ ANTIMICROBIAL COATINGS & CLEANERS



A COVID-19 Research Consortium Funded Product

Biotechnology Industry Research Assistance Council

A Government of India Enterprise



Reinste Nano Vetures Pvt. Ltd.

A118, Sector 63, Noida, U.P. 201301, India

P: 0120-4781212/213 | M: 9810662669

W: www.agsterilized.com / www.hiyka.com E : info@reinste.com

Content

Product	Page no
Warrior universal surface Shield	3
Warrior Silver Surface Shield	4
Warrior Microbial Ag+ Shield	5
Warrior Micro Surface Shield	6
Warrior AquaPerl Surface Shield	7
Warrior Dura Ag+ Shield	8
Warrior Clear Coat Ag+ Shield	9
Warrior Germi Shield Cleaner	10
Warrior LTex Ag+ Shield	11
Warrior ADTL Ag+ Shield	12
Application Area	13
Antiviral Report	14 -15
Antimicrobial Report	16

WARRIOR™ UNIVERSAL SURFACE SHIELD

Key Features of Warrior™ Universal Surface Shield

- **Broad spectrum antiviral and antimicrobial action**
- **Hydrophobic**
- **Quick and easy application**
- **Easier and faster cleaning**
- **Excellent color & gloss retention**
- **Tough, abrasion, resistant top coat**
- **Scratch resistance**
- **Smooth finish with gloss**
- **Easy2clean**
- **Good Durability**



Tests Conducted and Passed

- **Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)**
- **Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)**

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-PW3-L	Slight	1500- 2000	1	14400	All metals , Glass and Ceramic, Wood , Stone, Plastics
RN-PW3-L	Significant		5	64800	
RN-PW3-L	Strong		20	230400	

WARRIOR™ SILVER SURFACE SHIELD

Key Features of Warrior™ Silver Surface Shield

- *Broad spectrum antiviral & antimicrobial action*
- *Good resistance to chemicals & polluted environments*
- *Dirt repellent and easy to clean*
- *Extreme temperature resistance*
- *Excellent color & gloss retention*
- *Excellent Scratch protection*
- *Good UV-protection*
- *Extremely durable*
- *Hydrophobic*
- *Perfect finish*
- *Easy-to-apply*



Tests Conducted and Passed

- *Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)*
- *Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)*

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-VW3-L	Slight	1500- 2000	1	30600	All glass, ceramic and polished natural stone
RN-VW3-L	Significant		5	137700	
RN-VW3-L	Strong		20	489600	

WARRIOR™ MICROBIAL Ag⁺ SHIELD

Key Features of Warrior™ Microbial Ag⁺ Shield

- *Broad spectrum antiviral/ antimicrobial action*
- *Hydrophobic*
- *Anti-static, less build-up of dust & dirt*
- *Anti-stick property*
- *Good gloss & filling of micro scratches*
- *Smooth finish with gloss*
- *Easier and faster cleaning*
- *Quick and easy application*
- *Easy2clean*
- *Good Durability*
- *Long-lasting*



Tests Conducted and Passed

- *Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)*
- *Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)*

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-AW3-L	Slight	150- 200	1	10800	All metals , Glass and Ceramic, best for Internal Usage
RN-AW3-L	Significant		5	48600	
RN-AW3-L	Strong		20	172800	

WARRIOR™ MICRO SURFACE SHIELD

Key Features of Warrior™ Micro Surface Shield

- *Broad-spectrum antiviral/antimicrobial action*
- *Anti-static, less build-up of dust & dirt*
- *High gloss & filling of micro scratches*
- *Excellent adhesion*
- *Good Hydrophobic*
- *Smooth finish with gloss*
- *Quick and easy application*
- *Easier and faster cleaning*
- *Good mechanical strength*
- *Easy2clean*
- *Good Durability*
- *long-lasting*
- *Scratch resistance*



Tests Conducted and Passed

- *Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)*
- *Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)*

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-EW3-L	Slight	150- 200	1	18000	All metals , Glass and Ceramic, Wood, Stone, Concrete, Painted Surface
RN-EW3-L	Significant		5	81000	
RN-EW3-L	Strong		20	288000	

WARRIOR™ AQUAPERL SURFACE SHIELD

7

Key Features of Warrior™ AquaPerl Surface Shield

- **Broad spectrum antiviral antimicrobial action**
- **Good resistance to chemicals & polluted environments**
- **Dirt repellent and easy to clean**
- **Extreme temperature resistance**
- **Excellent color & gloss retention**
- **Excellent Scratch protection**
- **Good UV-protection**
- **Extremely durable**
- **Hydrophobic**
- **Perfect finish**
- **Easy-to-apply**



Tests Conducted and Passed

- **Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)**
- **Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)**

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-EPW3-L	Slight	1500- 2000	1	28800	All glass, ceramic and polished natural stone, best for internal Usage
RN-EPW3-L	Significant		5	129600	
RN-EPW3-L	Strong		20	460800	

WARRIOR™ DURA Ag⁺ SHIELD

Key Features of Warrior™ Dura Ag⁺ Shield

- *Broad-spectrum antiviral & antimicrobial action*
- *Good resistance to chemicals & polluted environments*
- *Dirt repellent and easy to clean*
- *Extreme temperature resistance*
- *Excellent color & gloss retention*
- *Hydrophobic and Non-Stick*
- *Graffiti and stain protection*
- *Scratch protection*
- *Corrosion prevention*
- *UV-protection*
- *The perfect finish*
- *Easy-to-apply*



Tests Conducted and Passed

- *Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)*
- *Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)*

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-DW3-L	Slight	1500- 2000	1	192,000	All surfaces like metals, ceramics, leather, wood, glass, etc. For internal/external usage
RN-DW3-L	Significant		5	864,000	
RN-DW3-L	Strong				

WARRIOR™ CLEAR COAT Ag⁺ SHIELD

9

Key Features of Warrior™ Clear Coat Ag⁺ Shield

- **Broad-spectrum antiviral and antimicrobial action**
- **Hydrophobic & slight oleophobic**
- **Good color & gloss retention**
- **Good UV-protection**
- **Good Durability**
- **Smooth finish**
- **Easy-to-apply**
- **Very cost effective**
- **Easy to clean**
- **Dirt repellent**



Tests Conducted and Passed

- **Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)**
- **Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)**

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-Nco-1L	Slight	1000- 1500	1	12000	Non-absorbant, Solid surfaces
RN-Nco-5L	Significant Strong		5		

WARRIOR™ GERMI SHIELD CLEANER

10

Key Features of Warrior™ Germi Shield Cleaner

- *Broad spectrum antiviral/ antimicrobial action*
- *Variety of surfaces covered with one product*
- *Longer durability time (3-4 days)*
- *Hydrophobicity*
- *Dirt repellent*
- *Gloss finish*
- *Easy application*
- *Smooth finish*



Tests Conducted and Passed

- *Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)*
- *Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)*

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-NCI-1L	Slight	1000- 1500	1	1500	Non-absorbant, Solid surfaces
RN-NCI-5L	Significant Strong		5	6750	

WARRIOR™ LTeX Ag+ SHIELD

11

Key Features of Warrior™ LTeX Ag+ Shield

- **Broad spectrum antiviral/ antimicrobial action**
- **Hydrophobic & slight oleophobic**
- **Dirt repellent & easy to clean**
- **Easy application**
- **Good durability**
- **Smooth finish**
- **Chemical weatherability**
- **Slight oil repellency**
- **Thermal stability**
- **UV Stability**



Tests Conducted and Passed

- **Antiviral Test for absorbent surfaces as per ISO: 18184 (99.99% SARS CoV-2 virus neutralization achieved)**
- **Antibacterial Test for absorbent surfaces as per ISO:20743:2013 (99.9% bacterial kill efficiency achieved)**

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-FW10-L	Slight	200- 300	1	28800	All fabrics & leather surfaces, water based, best for Internal/external Usage
RN-FW10-L	Significant		5	129600	
RN-FW10-L	Strong		20	460800	

WARRIOR™ ADTL Ag⁺ SHIELD

12

Key Features of Warrior™ ADTL Ag⁺ Shield

- **Broad spectrum antiviral/ antimicrobial action**
- **Hydrophobic & slight oleophobic**
- **Dirt repellent & easy to clean**
- **Easy application**
- **Good durability**
- **Smooth finish**
- **Chemical weatherability**
- **Slight oil repellency**
- **Thermal stability**
- **UV Stability**



Tests Conducted and Passed

- **Antiviral Test for non absorbent surfaces as per ISO: 21702 (99.99% SARS CoV-2 virus neutralization achieved)**
- **Antibacterial Test for non absorbent surfaces as per ISO:22196:2011 (99.9% bacterial kill efficiency achieved)**

Product Code	Variant	Coverage (SQ FT/ LT)	Pack Size (Litre)	Price (INR)	Application e.g.
RN-ADW3-L	Slight	60 – 200*	1	28800	All fabrics and leather surfaces, solvent based, best for Internal/external Usage
RN-ADW3-L	Significant		5	129600	
RN-ADW3-L	Strong		20	460800	

Where to use

13

Destroy all microbes from the surface and disinfect
immediately



Offices



Hotels



Malls



Automobiles



Hospitals



Homes



*Education
institutes*



Railway



*Bus
station*

With unique characteristic of **non-toxicity** towards
procreate cells

Antiviral Activities

Test report for absorbent surfaces

14

TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

1) Antiviral test ISO 18184

Name of the test

Anti-viral activities of the fabric surface

Name of test protocol:

ISO 18184-2019

Test Organisms used for evaluating Anti-viral activity:

1.SARS CoV-2

Test conditions:

Contact time : (0 mins,30 mins,2 hours , 3 hours & 15 mins,6 hours,12 hours,24 hours)

Incubation Temperature: 37⁰ C for Virus

Media and Reagent : Agar media

Test Report -Anti-Viral Activities Coated Fabric Surface (Textile)-ABSORBENT

Antiviral activity of the surface SARS (CoV-2)	CFU control	CFU sample	Reduction / Difference	Percentage of Reduction of virus activities	Viral Activities (Qualitative)
Standard(un-coated)	4.33.x10 ⁵				
0 min (coated)		1.55X10 ⁵	2.78	64.20%	Viral activity found
30 mins(coated)		9.37x10 ⁴	3.39	78.36%	Viral activity found
2 hours(coated)		4.43X10 ⁴	3.88	89.79%	Viral activity found
3 hours & 15 mins (coated)	4.89x10 ⁵	4.89x10 ¹	4.88	99.99%	No viral activity found
6 hours(coated)		-	4.89	100%	No viral activity found
12 hours(coated)		-	4.89	100%	No viral activity found
24 hours(coated)		-	4.89	100%	No viral activity found

Conclusion :

It is noted that no viral activities are found after 3 hour & 15 mins i.e all virus (SARS CoV-2)killed /Neutralized .The coated material passes the test after 3 hour & 15 mins on Fabric surface tested as per given specification .

Antiviral Activities

Test report for non - absorbent surfaces

15

TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

1) Antiviral test (ISO 21702:2019)

Name of the test

Anti-viral activities of the glass surface

Name of test protocol:

ISO 21702-2019

Test Organisms used for evaluating Anti-viral activity:

1."SARS CoV-2"

Test conditions:

Contact time : (0 min,30 mins,1 hours & 45 mins,3 hours,6 hours,12 hours,24 hours)

Incubation Temperature: 37°C for Virus

Media and Reagent : Agar media

Test Report -Anti-Viral Activities Of Coated Glass NON-ABSORBENT, Hard Surface

Antiviral activity of the surface SARS (CoV-2)	CFU control	CFU sample	Reduction / Difference	Percentage of Reduction of virus activities	Viral Activities (Qualitative)
(Standard uncoated)	7.21x10 ⁵				
0 Min (coated)	6.87.x10 ⁵	2.36x10 ⁵	4.51	65.64%	Viral activity found
30 Mins (coated)		1.53x10 ⁵	5.34	77.72 %	Viral activity found
1 hours & 45 mins (coated)		6.8x10 ¹	6.87	99.99%	No Viral activity found
3 hours(coated)	7.72x10 ⁵	7.7x10 ¹	7.71	99.99%	No Viral activity found
6 hours(coated)		-	7.72	100%	No Viral activity found
12 hours(coated)		-	7.72	100%	No Viral activity found
24 hours(coated)		-	7.72	100%	No Viral activity found

Conclusion :

It is noted that no viral activities are found after 1 hours & 45 mins i.e. all virus (SARS CoV-2) killed / Neutralized. The coated material passes the test after 1 hours & 45 mins on Glass surface tested as per given specification.

Antimicrobial Activities

Tested & Proved

16

Sample:

BARE SAMPLE + REINSTE WARRIOR ANTIMICROBIAL & ANTIVIRAL COATING SAMPLE
CODE-RN-DW3-L

Certificate Number:

D200523008/D200523008-1

Date of test:

2-Jun-2020

Lab accreditation:

NABL (as per ISO/IEC 17025: 2005)

Results:

ANTIBACTERIAL ACTIVITY

1. TEST BACTERIA: Staphylococcus aureus ATCC 6538P

Quantitative Assessment of Activity -ISO:22196:2011				
B: WITHOUT AB: Conc. of inoculum on untreated sample at 0 hours (A): 2.2×10^8				Log=4.34
B: WITHOUT AB: Conc. Of inoculum on untreated sample After 24hours (A): 6.5×10^5				Log=5.81
Sample identification	No. Bacteria on treated sample (C)	Log of bacteria treated sample	Antimicrobial Activity (R) (log B-C)	Microbial kill (% Reduction)
A: WITH AB	330	2.58	3.29	99.9

2. TEST BACTERIA: Escherichia coli ATCC 8739

Quantitative Assessment of Activity - ISO:22196:2011				
B: WITHOUT AB: Conc. Of inoculum on untreated sample at 0 hours (A): 1.9×10^7				Log=4.53
B: WITHOUT AB: Conc. Of inoculum on untreated sample After 24hours (A): 6.2×10^5				Log=5.85
Sample identification	No. Bacteria on treated sample (C)	Log of bacteria treated sample	Antimicrobial Activity (R) (log B-C)	Microbial kill (% Reduction)
A: WITH AB	117	2.07	3.72	99.9

The Standard Antimicrobial value of Evaluation $R \geq 2.0$

Reinste Nano Vetures Pvt. Ltd.

A118, Sector 63, Noida, U.P. 201301, India

P: 0120-4781212/213 | M: 9810662669

W: www.agsterilized.com / www.hiyka.com E : info@reinste.com